

| L Number | Hits | | DB | Time stamp |
|--|------|--|------------------------|------------------|
| - | 1656 | 709/217.ccls. and @ad<20010105 | USPAT; | 2004/04/23 14:11 |
| | 4518 | (709/217.ccls. and @ad<20010105) or | US-PGPUB USPAT; | 2004/04/23 14:11 |
| - | 4210 | (709/217.ccls. and @add22010105) of (709/218.ccls. or 709/219.ccls.) | US-PGPUB | 2004/04/23 14:11 |
| - | 103 | ((709/217.ccls. and @ad<20010105) or | USPAT; | 2004/04/23 15:04 |
| | | (709/218.ccls. or 709/219.ccls.)) and (707/102.ccls.) | US-PGPUB | |
| _ | 506 | | USPAT; | 2004/04/23 15:42 |
| : | | construct\$3 or render\$3) NEAR6 table and | US-PGPUB; | |
| | | @ad<20010105 | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| - | 8 | | USPĀT; | 2004/04/23 15:15 |
| | | construct\$3 or render\$3) NEAR6 table NEAR4 (webpage or (web adj2 page)) and | US-PGPUB; EPO; JPO; | |
| | | (webpage of (web adj2 page// and @ad<20010105 | DERWENT; | |
| ļ | | | IBM_TDB | |
| - | 40 | (generat\$4 or build\$3 or creat\$4 or construct\$3) NEAR5 (webpage or (web adj2 | USPAT; US-PGPUB; | 2004/04/23 15:16 |
| | | page)) NEAR3 table\$1 and @ad<20010105 | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 33 | ((generat\$4 or build\$3 or creat\$4 or | IBM_TDB USPAT; | 2004/04/23 15:24 |
| | | construct\$3) NEAR5 (webpage or (web adj2 | US-PGPUB; | |
| | | page)) NEAR3 table\$1 and @ad<20010105) not (dynamic\$5 NEAR8 (build\$3 or generat\$4 or | EPO; JPO; DERWENT; | |
| | | construct\$3 or render\$3) NEAR6 table NEAR4 | IBM_TDB | |
| | | (webpage or (web adj2 page)) and | _ | |
| _ | 6 | @ad<20010105) analyz\$4 NEAR5 (form adj3 head) and | USPAT; | 2004/04/23 15:25 |
| | • | @ad<20010105 | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| - | 13 | (display\$3 or present\$3 or publish\$3) NEAR5 | USPAT; | 2004/04/23 15:30 |
| | | table SAME ((user or client) NEAR3 priority) and @ad<20010105 | US-PGPUB; EPO; JPO; | |
| | | | DERWENT; | , |
| _ | 958 | /715/500 cole or 715/512 cole \ and | IBM_TDB | 2004/04/23 15:30 |
| - | 958 | (715/509.ccls. or 715/513.ccls.) and @ad<20010105 | USPAT; US-PGPUB; | 2004/04/23 15:30 |
| | | | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
|] - | 48 | ((715/509.ccls. or 715/513.ccls.) and | USPAT; | 2004/04/23 15:31 |
| | | @ad<20010105) and table NEAR5 ((web adj2 | US-PGPUB; | |
| | | page) or webpage) | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | ((data adj2 binding adj2 object) NEAR6 DHTML) and @ad<20010105 | USPAT; US-PGPUB; | 2004/04/23 15:43 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| - | 0 | ((data adj2 binding adj2 object) SAME DHTML) | IBM_TDB USPAT; | 2004/04/23 15:43 |
| | | and @ad<20010105 | US-PGPUB; | |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| - | 6 | ("5761673" "5915252" "5956736" "6429880" "6449659" "6505343").PN. | USPAT | 2004/04/26 09:46 |
| - | 18 | | USPAT; | 2004/04/26 09:54 |
| | | @ad<20010105 | US-PGPUB | |
| - | 12 | (((database or table or field) NEAR4 data) NEAR7 (user adj2 priority)) and @ad<20010105 | USPAT; US-PGPUB | 2004/04/26 09:52 |
| - | 11 | ((((database or table or field) NEAR4 data) | USPAT; | 2004/04/26 09:52 |
| | | NEAR7 (user adj2 priority)) and | US-PGPUB | |
| | | @ad<20010105) not ((table NEAR4 (user adj2 priority)) and @ad<20010105) | | |
| ــــــــــــــــــــــــــــــــــــــ | | | | |

| 1 | |
|---|--|

| | | _ | | |
|---|---------|---|---|--------------------------------------|
| - | 40 | (display NEAR6 field\$1) NEAR6 ((user or client) NEAR3 (access or level or clearance | USPAT; US-PGPUB | 2004/04/26 10:04 |
| _ | 8 | or security)) and @ad<20010105 (dynamic\$4 NEAR10 (generat\$3 or build\$3) | USPAT; | 2004/04/26 10:33 |
| | | NEAR6 table\$1 NEAR5 (webpage\$1 or (web adj2 page\$1))) and @ad<20010105 | US-PGPUB; EPO; JPO; DERWENT; | |
| | 0 | | IBM_TDB | 2004/04/05 40 04 |
| _ | | 707/509.ccls. and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 10:34 |
| - | 789 | 709/218.ccls. and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 10:34 |
| - | 105 | (709/218.ccls. and @ad<20010105) and (table NEAR10 (generat\$5 or construct\$5 or | IBM_TDB USPAT; | 2004/04/26 12:17 |
| | | build\$4)) | US-PGPUB; EPO; JPO; DERWENT; IBM TDB | |
| - | 5 | custom\$4 NEAR6 table NEAR6 (webpage\$1 or (web adj2 page)) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; | 2004/04/26 12:28 |
| | | (customized or custom or custom-made) NEAR6 | DERWENT; IBM_TDB USPAT; | 2004/04/26 12:30 |
| | 4 | (webpage or (web adj2 page)) NEAR8 table and @ad<20010105 | US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/20 12:30 |
| - | 1 | option\$4 NEAR6 (display\$4 or show\$4) NEAR8 table NEAR6 (webpage or (web adj2 page)) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 12:33 |
| - | 1 | (hid\$3 or ("not" NEAR4 (display or show))) NEAR8 table NEAR6 (webpage or (web adj2 page)) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 12:36 |
| - | 1 | filter\$3 NEAR5 table NEAR4 (webpage or (web adj1 page)) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 12:36 |
| - | 10 | filter\$3 NEAR5 (table or database or list or (data adj1 structure)) NEAR4 (webpage or (web adj1 page)) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 12:40 |
| - | 3 | (webpage or (web adjl page)) NEAR4 derived NEAR5 (table or query) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 12:41 |
| - | 0 95 | 6718515.URPN. ((web adjl page) or webpage) NEAR10 ((dynamic adjl HTML) or DHTML) and @ad<20010105 | IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; | 2004/04/26 12:42 2004/04/26 12:55 |
| | | | DERWENT; IBM TDB | |
| - | 2 | (((web adj1 page) or webpage) NEAR10 ((dynamic adj1 HTML) or DHTML) and @ad<20010105) and (("DBO" or (data adj1 binding adj2 object)) or ("DSO" or (data adj1 source adj2 object))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:00 |

| ₹2 |
|----|

| - | 3 | ((dynamic adj1 HTML) or DHTML) NEAR6 table\$1 and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 15:41 |
|---|-----|---|---|------------------|
| | | | IBM TDB | } |
| - | 0 | 6718515.URPN. | USPAT | 2004/04/26 12:55 |
| - | 6 | "6429880" "6449659" "6505343").PN. | USPAT | 2004/04/26 12:55 |
| - | 1 | accessing NEAR8 ("DBO" or (data adj1 binding adj2 object)) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:01 |
| _ | 362 | ("DBO" or (data adj1 binding adj2 object)) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 13:01 |
| - | 0 | ("DBO" or (data adj1 binding adj2 object)) NEAR10 ("DHTML" or (dynamic adj2 HTML)) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 13:02 |
| - | 0 | ("DBO" or (data adj1 binding adj2 object)) AND ("DHTML" or (dynamic adj2 HTML)) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 13:02 |
| - | 3 | ("DSO" or (data adj1 source adj2 object)) AND ("DHTML" or (dynamic adj2 HTML)) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:08 |
| - | 5 | (display NEAR4 (webpage or (web adj1 page)) NEAR8 priority) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 13:10 |
| - | 8 | (display NEAR4 (table or text) NEAR5 before NEAR4 graphic) and @ad<20010105 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:11 |
| _ | 1 | (download\$3 NEAR4 (table or text) NEAR5 before NEAR4 graphic) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:13 |
| - | 346 | (text or table) NEAR6 before NEAR4 (graphic or image) and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:14 |
| - | 17 | ((text or table) NEAR6 before NEAR4 (graphic or image) and @ad<20010105) and (webpage or (web adj1 page)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/26 13:16 |
| - | 457 | (hid\$3 or block) NEAR4 (field or column) NEAR4 table | USPAT; US-PGPUB | 2004/04/26 13:40 |
| - | 13 | hid\$3 NEAR4 (field or column) NEAR4 table | USPAT; US-PGPUB | 2004/04/26 13:42 |
| | 305 | (table or field) NEAR4 privilege and @ad<20010105 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/26 13:43 |
| - | 39 | privilege NEAR4 (display\$3 or view\$3 or show\$3) NEAR4 (table or column or field) and @ad<20010105 | IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB | 2004/04/26,13:48 |

| - | 2 | privilege NEAR4 (display\$3 or view\$3 or show\$3) NEAR4 (table adj3 (field or data)) | USPAT; | 2004/04/26 13:51 |
|------------|-----|--|-----------------------|------------------|
| | | and @ad<20010105 | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| - | 0 | privilege NEAR4 (display\$3 or view\$3 or | USPĀT; | 2004/04/26 13:51 |
| | | show\$3) NEAR4 (salary or (social adj2 | EPO; JPO; | |
| | | security)) NEAR6 table and @ad<20010105 | DERWENT; | |
| | 0 | privilege NEAR4 (display\$3 or view\$3 or | IBM_TDB USPAT; | 2004/04/26 13:51 |
| | | show\$3) NEAR10 (salary or (social adj2 | EPO; JPO; | 2004/04/20 13.31 |
| | | security)) NEAR6 table and @ad<20010105 | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | (privilege NEAR4 (display\$3 or view\$3 or | USPAT; | 2004/04/26 13:53 |
| | | show\$3)) SAME (salary or (social adj2 security)) NEAR6 table and @ad<20010105 | EPO; JPO; DERWENT; | |
| | | security // Whate table and wade20010103 | IBM TDB | |
| - | 14 | ((privilege\$2 or access\$2 or security or | USPAT; | 2004/04/26 13:55 |
| | | clearance) NEAR4 (display\$3 or view\$3 or | EPO; JPO; | |
| | | show\$3)) SAME (salary or (social adj2 | DERWENT; | |
| _ | 0 | security)) NEAR6 table and @ad<20010105 hid\$3 NEAR8 (salary or (social adj2 | IBM_TDB USPAT: | 2004/04/26 13:56 |
| _ | | security)) NEAR6 table and @ad<20010105 | EPO; JPO; | 2004/04/26 13:56 |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 0 | hid\$3 SAME (salary or (social adj2 | USPAT; | 2004/04/26 13:56 |
| ļ | | security)) NEAR6 table and @ad<20010105 | EPO; JPO; DERWENT; | |
| | | | IBM TDB | |
| - | 12 | (hid\$3 or block) SAME (salary or (social | USPAT; | 2004/04/26 13:58 |
| | | adj2 security)) NEAR6 table and @ad<20010105 | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 257 | ((restrict\$3 or block) NEAR4 access\$3) | IBM_TDB USPAT; | 2004/04/26 14:00 |
| | 25, | NEAR12 ((table or database) NEAR4 data) and | EPO; JPO; | 2004/04/20 14.00 |
| | | @ad<20010105 | DERWENT; | |
| | | | IBM_TDB | |
| - | 160 | ((restrict\$3 or block) NEAR4 access\$3) NEAR12 (table NEAR4 data) and @ad<20010105 | USPAT; EPO; JPO; | 2004/04/26 14:12 |
| | | NEAR12 (Cable NEAR4 data) and Wad<20010105 | DERWENT; | |
| | | | IBM TDB | |
| - | 16 | ((restrict\$3) NEAR4 access\$3) NEAR12 (table | USPAT; | 2004/04/26 14:19 |
| 1 | | NEAR4 data) and @ad<20010105 | EPO; JPO; | |
| | | | DERWENT; IBM TDB | |
| - | 2 | (((restrict\$3) NEAR4 access\$3) NEAR12 | USPAT; | 2004/04/26 14:19 |
| | | (table NEAR4 data) and @ad<20010105) and | EPO; JPO; | |
| } | | ((web adj1 page) or webpage) | DERWENT; | |
| _ : | 0 | (pleases or respects) NEADIO (table NEAD) | IBM_TDB | 2004/04/25 15 25 |
| | | (alter\$3 or vary\$3) NEAR10 (table NEAR6 (webpage or (web adj1 page))) and | USPAT; US-PGPUB | 2004/04/26 15:06 |
| : | - | @ad<20010105 | 35 15102 | |
| } - | 2 | , | USPAT; | 2004/04/26 15:07 |
| | | (webpage or (web adj1 page))) and | US-PGPUB | |
| | 4 | @ad<20010105 (alter\$3 or vary\$3 or chang\$3 or modify\$3) | USPAT; | 2004/04/26 15:12 |
| 1 | 4 | NEAR6 (webpage or (web adj2 page)) NEAR6 | US-PGPUB | 2004/04/20 15:12 |
| | | table and @ad<20010105 | | |
| - | 124 | (alter\$3 or vary\$3 or chang\$3 or modify\$3) | USPAT; | 2004/04/26 15:15 |
| _ | _ | NEAR6 (table NEAR4 fields) and @ad<20010105 | US-PGPUB | 2004/04/26 15 16 |
| - | 3 | (alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 (web adj2 table\$1) and @ad<20010105 | USPAT; US-PGPUB | 2004/04/26 15:16 |
| - | 28 | (alter\$3 or vary\$3 or chang\$3 or modify\$3) | USPAT; | 2004/04/26 15:37 |
| | | NEAR6 table NEAR5 ((fields or columns) NEAR5 | US-PGPUB | |
| | | (displayed or visible or show\$2)) and | | |
| <u> </u> | 0 | @ad<20010105 | HCDATT - | 2004/04/26 15:30 |
| - | | ((alter\$3 or vary\$3 or chang\$3 or modify\$3) NEAR6 table NEAR5 ((fields or columns) NEAR5 | USPAT; US-PGPUB | 2004/04/26 15:18 |
| | | (displayed or visible or show\$2)) and | 30 10105 | |
| | | @ad<20010105) and (webpage or (web adj2 | | |
| | | page)) | | |

| - | 3 | | USPAT; | 2004/04/26 15:38 |
|---|------|--|-----------|------------------|
| | | NEAR6 (webpage or (web adj2 page)) NEAR5 | US-PGPUB | · |
| | | table and @ad<20010105 | | |
| - | o | sort\$3 NEAR5 (webpage or (web adj2 page)) | USPAT; | 2004/04/26 15:41 |
| | | NEAR4 table and @ad<20010105 | US-PGPUB; | ,, 20 13.41 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| | 5 | sort\$3 SAME ((webpage or (web adj2 page)) | USPAT; | 2004/04/26 15:40 |
| - |] | NEAR4 table) and @ad<20010105 | US-PGPUB; | 2004/04/26 15:48 |
| | | NEAR4 Cable) and Wad<20010105 | | |
| | | | EPO; JPO; | |
| | | | DERWENT; | , |
| | _ | /************************************** | IBM_TDB | 222.42.42= 22.2 |
| - | 9 | ("DSO" or (data adj2 source adj2 object)) | USPAT; | 2004/04/27 10:26 |
| | | NEAR8 ((class or object) NEAR4 | US-PGPUB | |
| | | identification) and @ad<20010105 | | |
| - | 10 | | USPAT; | 2004/04/27 10:29 |
| | | SAME ((class or object) NEAR4 | US-PGPUB | |
| | | identification) and @ad<20010105 | | |
| _ | 1 | (("DSO" or (data adj2 source adj2 object)) | USPAT; | 2004/04/27 10:27 |
| | | SAME ((class or object) NEAR4 | US-PGPUB | |
| | | identification) and @ad<20010105) not | | |
| | | (("DSO" or (data adj2 source adj2 object)) | | |
| | | NEAR8 ((class or object) NEAR4 | | |
| | | identification) and @ad<20010105) | | |
| _ | 48 | ("DSO" or (data adj2 source adj2 object)) | USPAT; | 2004/04/27 10:30 |
| |] | AND ((class or object) NEAR4 identification) | US-PGPUB | 1 -,, |
| | | and @ad<20010105 | | |
| _ | 14 | ("DSO" or (data adj2 source adj2 object) | USPAT; | 2004/04/27 10:32 |
| | | NEAR10 table) AND ((class or object) NEAR4 | US-PGPUB | |
| | | identification) and @ad<20010105 | | |
| _ | 1107 | • | USPAT; | 2004/04/27 10:32 |
| | 110, | table) | US-PGPUB | 2001,01,27 10.32 |
| _ | 823 | ("DSO" or ("data source object") NEAR10 | USPAT: | 2004/04/27 10:32 |
| | 023 | table) and @ad<20010105 | US-PGPUB | 2004/04/2/ 10:32 |
| _ | 3 | ("data source object" NEAR10 table) and | USPAT; | 2004/04/27 11:26 |
| | | @ad<20010105 | US-PGPUB | 2004/04/2/ 11:20 |
| _ | 0 | ("data binding object") and @ad<20010105 | USPAT; | 2004/04/27 11:26 |
| _ | | / data binding object / and wad<20010105 | US-PGPUB | 2004/04/2/ 11:26 |
| | 600 | /class and object) NEADS (UID) or | | 2004/04/27 13 27 |
| - | 600 | (class and object) NEAR8 ("ID" or | USPAT; | 2004/04/27 11:27 |
| | 200 | identification) and @ad<20010105 | US-PGPUB | 2004/04/25 55 |
| - | 223 | , | USPAT; | 2004/04/27 11:34 |
| | | identification) and @ad<20010105 | US-PGPUB | |
| - | 29 | 1 ' ' | USPAT; | 2004/04/27 11:32 |
| | _ | identification) and @ad<20010105) and DHTML | US-PGPUB | |
| - | 7 | ((class and object) NEAR2 ("ID" or | USPAT; | 2004/04/27 11:32 |
| | | identification) and @ad<20010105) and (data | US-PGPUB | |
| | | NEAR3 binding NEAR3 object) | | |
| - | 4 | ("class identification" and "object | USPAT; | 2004/04/27 11:34 |
| | | identification") and @ad<20010105 | US-PGPUB | |